

# MATERIALS SAFETY DATA

## PATERSON PHOTOGRAPHIC LTD

REF: Chr6-FirstDev

DATE: 05/04/02

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY

1.1 Identification of the substance or preparation:

Product name: **PHOTOCOLOR CHROME SIX 3+ FIRST DEVELOPER**

Product use: **Developing all E6 Slide Films**

1.2 Company Identification:

**Paterson Photographic Ltd**  
**4 Malthouse Road**  
**Tipton**  
**West Midlands**  
**DY4 9AE**

**Telephone: 0121 520 4830**

**Fax: 0121 520 4831**

1.3 Company emergency telephone number: **0121 520 4830 (Daytime)**

2. COMPOSITION/INFORMATION ON INGREDIENTS.

Hazardous Ingredient: **Potassium Hydroquinone Monosulphonate.**

CAS Number: **21799-87-1**

3. HAZARDS IDENTIFICATION

Irritant, may cause sensitisation by skin contact.

**Safety Hazards:**

None with normal use.

**Environmental Hazards**

Will cause short term oxygen depletion if allowed to enter aquatic environment.

---

---

#### 4. FIRST AID MEASURES

**IN ALL CASES OF DOUBT OR IF SYMPTOMS PERSIST, SEEK MEDICAL ADVICE. SHOW PRODUCT LABEL AND SAFETY DATA SHEET.**

- 4.1 Eye contact: **Flush eyes immediately with plenty of running water for at least 15 minutes while holding the eyelids open. Seek medical attention at once.**
- 4.2 Skin contact: **Flush affected area with large amounts of water. Remove contaminated clothing and launder before reuse. Seek medical advice if irritation or redness persists.**
- 4.3 Inhalation: **Move person to non-contaminated air. Call a doctor immediately.**
- 4.4 Ingestion: **Give several glasses of water to dilute contents of stomach. Get medical attention immediately.**

#### 5 FIRE FIGHTING MEASURES

---

- 5.1 Suitable extinguishing media:

**The product is not classed as flammable (water based). If involved in a major fire, irritating toxic fumes or gases may be produced. Use suitable extinguishing media for the surrounding fire.**

- 5.2 Extinguishing media which must not be used for safety reasons:

**N/A**

- 5.3 Special exposure hazards:

**N/A**

- 5.4 Special protective equipment for fire fighters:

**Wear protective clothing and self contained respiratory equipment.**

#### 6 ACCIDENTAL RELEASE MEASURES

---

- 6.1 Personal precautions:

**When dealing with spillages, use the personal protection specified in section 8. Ensure spill area is well ventilated**

- 6.2 Environmental precautions:

**Prevent spillages from entering drain by absorption into inert absorbent material (e.g. dry sand or earth) and transfer to a container for disposal by a licensed waste contractor.**

- 6.3 Methods for cleaning up:

~~**After collecting the bulk of the spillage, thoroughly wash area to drain with water.**~~

---

## 7 HANDLING AND STORAGE

### 7.1 Handling:

**Avoid contact with eyes, skin and clothing. Do not eat, drink or smoke when using. Ensure adequate ventilation of the working area. Re-cap bottles after use.**

### 7.2 Storage:

**Store in a dry well ventilated area at a moderate temperature in the original containers. Ensure containers are securely re-capped after use.**

## 8 EXPOSURE CONTROL/PERSONAL PROTECTION

### 8.1 Recommended engineering controls:

**Ensure good ventilation or local exhaust ventilation of the working area.**

### 8.2 Control parameters:

Hazardous Ingredient	Content	Long Term		Short Term	
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>

**No relevant exposure limits.**

### 8.3 Monitoring procedures:

**No specific methods established.**

### 8.4 Recommended personal protection:

Eyes: **Wear safety glasses as the minimum level of protection.**

Hands: **Wear impervious gloves. Neoprene rubber is recommended.**

Skin: **Wear protective clothing appropriate for the risk of exposure.**

Respiration: **N/A**

## 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1	Appearance:	<b>Deep Yellow liquid.</b>
9.2	Odour:	<b>Slight.</b>
9.3	pH (concentrate):	<b>9.8.</b>
9.4	Boiling point/boiling range:	<b>N/A</b>
9.5	Melting point/melting range:	<b>N/A</b>
9.6	Flash point:	<b>N/A</b>
9.7	Flammability:	<b>Not flammable</b>
9.8	Autoflammability:	<b>N/A</b>
9.9	Explosive properties:	<b>N/A</b>
9.10	Oxidising properties:	<b>N/A</b>
9.11	Vapour pressure:	<b>N/D</b>
9.12	Relative density:	<b>1.305</b>
9.13	Water solubility:	<b>Completely soluble</b>
9.14	Fat solubility:	<b>N/D</b>
9.15	Partition coefficient (n-octanol/water):	<b>N/D</b>
9.16	Other data:	

---

## 10 STABILITY AND REACTIVITY

10.1	Stability:	<b>Stable under recommended storage conditions.</b>
10.2	Conditions to avoid:	<b>None known.</b>
10.3	Materials to avoid:	<b>Oxidising agents.</b>
10.4	Hazardous decomposition:	<b>May produce irritating and toxic fumes in a fire.</b>

---

## 11 TOXICOLOGICAL INFORMATION

Eye contact:	<b>The product is extremely corrosive to eye tissue and may cause corneal damage.</b>
Skin contact:	<b>Can cause irritation and/or skin burns and allergic reaction.</b>
Ingestion:	<b>May cause severe burns to the mouth, throat and stomach and may cause ulcerations. Ingestion may be fatal.</b>
Inhalation:	<b>Inhalation of mists and vapours of this product causes severe irritation to the nose, throat and lungs.</b>

---

## 12 ECOLOGICAL INFORMATION

**N/D**

---

## 13 DISPOSAL CONSIDERATIONS

### 13.1 Disposal of material:

**Disposal should be in accordance with current local and national legislation and only by a licensed waste contractor. Do not dispose of into drains, sewers, or waterways.**

### 13.2 Disposal of packaging:

**Rinse thoroughly with water and dispose of as solid waste.**

14 TRANSPORT INFORMATION **Classified as 'Corrosive substance' for road transport.**

14.1 Labelling for transportation **Class 8 - Corrosive**

---

15 REGULATORY INFORMATION

15.1 Classification: **Corrosive.**

15.2 Risk Phrases: **See section 2.**

15.3 Safety Phrases: **See section 2.**

---

16 OTHER INFORMATION

Nature of revision: **N/A**

N.B. Material supplier's safety data sheets were used as key data sources in the preparation of this safety data sheet.

N/D: No available data

N/A: Not applicable

MEL: Maximum exposure limit issued by the UK Health and Safety Executive in Guidance Note EH40/95

OES: Occupational Exposure Standard issued by the UK Health and Safety Executive in Guidance Note EH40/95